

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 3

PATENT NO : 7,278,715

APPLICATION NO. : 10/827,045

ISSUE DATE : Oct. 09, 2007

INVENTOR(S) : Trudy L. Benjamin, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 9, line 40, after “~A1,” delete “A2 ... A7” and insert - - ~A2 ... ~A7 - -, therefor.

In column 9, line 66, delete “PRE2 PRE6” and insert - - PRE2...PRE6 - -, therefor.

In column 31, line 12, delete “EVAL1” and insert - - EVAL2 - -, therefor.

In column 36, line 39, delete “~A2, ~A7” and insert - - ~A2, ... ~A7 - -, therefor.

In column 40, line 39, after “Timing” insert - - pulse 958 turns on third evaluation transistor 556. A control pulse 960 in control signal CSYNC 824 turns on control transistor 558 and forward direction signal DIRF 842 discharges to a low voltage level at 962.

The next series of six timing pulses shifts the high voltage level shift register output signal SO12 to the next shift register cell 403k that provides a high voltage level shift register output signal SO11. Shifting continues with each series of six timing pulses until each shift register output signal SO1-SO13 has been high once. After shift register output signal SO1 is high, the series of high voltage level shift register output signals SO 830 stops. The shift register 402 can be initiated

MAILING ADDRESS OF SENDER (Please do not use customer number below):

HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P. O. Box 272400
Fort Collins, Colorado 80527-2400

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patent, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 3

PATENT NO : 7,278,715

APPLICATION NO. : 10/827,045

ISSUE DATE : Oct. 09, 2007

INVENTOR(S) : Trudy L. Benjamin, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

again by providing a control pulse, such as control pulse 870, coincident with a timing pulse from timing signal T2 804.

In reverse direction operation, a control pulse from CSYNC 824 is provided coincident with a timing pulse from timing signal T6 at 820 to set the direction of shifting to the reverse direction. Also, a control pulse from CSYNC 824 is provided coincident with a timing pulse from timing signal T2 804 to start or initiate the shift register 402 shifting a high voltage level signal through the shift register output signals SO1-SO13.

FIG. 13 is a block diagram illustrating one embodiment of two address generators 1000 and 1002 and six fire groups 1004a-1004f. Each of the address generators 1000 and 1002 is similar to address generator 400 of FIG. 9 and fire groups 1004a-1004f are similar to fire groups 202a-202f illustrated in FIG. 7. The address generator 1000 is electrically coupled - -.

In column 41, line 1, after "1004a-" delete "1 004c" and insert - - 1004c - -, therefor.

In column 41, line 13, after "1008a-" delete "1 008f" and insert - - 1008f - -, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P. O. Box 272400
Fort Collins, Colorado 80527-2400

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patent, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 3 of 3

PATENT NO : 7,278,715

APPLICATION NO. : 10/827,045

ISSUE DATE : Oct. 09, 2007

INVENTOR(S) : Trudy L. Benjamin, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 41, line 14, after "SEL1," delete "SEL2, SEL6" and insert - - SEL2, ... SEL6 - -, therefor.

In column 41, line 15, after "1004a-" delete "1 004f" and insert - - 1004f - -, therefor.

In column 42, line 26, delete "SELL" and insert - - SEL1 - -, therefor.

In column 46, line 14, delete "SELL" and insert - - SEL1 - -, therefor.

In column 57, line 50, in Claim 4, delete "round" and insert - - around - -, therefor.

In column 60, line 12, in Claim 30, delete "claims" and insert - - claim - -, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P. O. Box 272400
Fort Collins, Colorado 80527-2400

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patent, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: U.S. Patent No. 7,278,715

USPTO CONFIRMATION CODE: 2390

APPLICATION NO.: 10/827,045

FILED: Apr. 19, 2004

EXAMINER: Huan Tran

GROUP ART UNIT: 2861

FOR: DEVICE WITH GATES CONFIGURED IN LOOP STRUCTURES

ATTORNEY DOCKET NUMBER: 200311485-1

37 CFR 1.322 & 37 CFR 1.323 REQUEST FOR CERTIFICATE OF CORRECTION

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS

Sir:

The following is a request for a certificate of correction in Serial Number 10/827,045, now Patent Number 7,278,715.

A certificate of correction under 35 USC 254 is respectfully requested in the above-identified patent.

☐ All errors were the fault of the USPTO, no fee required. In the event that a further fee is required, please charge the amount to Deposit Account No. 082025.

☐ All errors were the fault of the applicant and, accordingly, please charge **\$100.00** to our Deposit Account No. 082025. In the event that a further fee is required, please charge the amount to the same Deposit Account.

☒ The errors were the fault of both the applicant and USPTO and, accordingly, please charge **\$100.00** to our Deposit Account No. 082025. In the event that a further fee is required, please charge the amount to the same Deposit Account.

The exact locations where the errors appear in the patent and patent application are as follows:

In column 9, line 40, after “~A1,” delete “A2 ... A7” and insert - - ~A2 ... ~A7 - -, therefor.

(Specification filed on Apr. 19, 2004, page 15, line 15)

In column 9, line 66, delete “PRE2 PRE6” and insert - - PRE2...PRE6 - -, therefor.

(Specification filed on Apr. 19, 2004, page 16, lines 5-6)

In column 31, line 12, delete “EVAL1” and insert - - EVAL2 - -, therefor.

(Specification filed on Apr. 19, 2004, page 50, line 11)

In column 36, line 39, delete “~A2, ~A7” and insert - - ~A2, ... ~A7 - -, therefor.

(Specification filed on Apr. 19, 2004, page 58, line 26)

In column 40, line 39, after “Timing” insert - - pulse 958 turns on third evaluation transistor 556. A control pulse 960 in control signal CSYNC 824 turns on control transistor 558 and forward direction signal DIRF 842 discharges to a low voltage level at 962.

The next series of six timing pulses shifts the high voltage level shift register output signal SO12 to the next shift register cell 403k that provides a high voltage level shift register output signal SO11. Shifting continues with each series of six timing pulses until each shift register output signal SO1-SO13 has been high once. After shift register output signal SO1 is high, the series of high voltage level shift register output signals SO 830 stops. The shift register 402 can be initiated again by providing a control pulse, such as control pulse 870, coincident with a timing pulse from timing signal T2 804.

In reverse direction operation, a control pulse from CSYNC 824 is provided coincident with a timing pulse from timing signal T6 at 820 to set the direction of shifting to the reverse direction. Also, a control pulse from CSYNC 824 is provided coincident with a timing pulse from timing signal T2 804 to start or initiate the shift register 402 shifting a high voltage level signal through the shift register output signals SO1-SO13.

FIG. 13 is a block diagram illustrating one embodiment of two address generators 1000 and 1002 and six fire groups 1004a-1004f. Each of the address generators 1000 and 1002 is similar to address generator 400 of FIG. 9 and fire groups 1004a-1004f are similar to fire groups 202a-202f illustrated in FIG. 7. The address generator 1000 is electrically coupled - -. (Specification filed on Apr. 19, 2004, page 65, lines 6-27)

In column 41, line 1, after “1004a-” delete “1 004c” and insert - - 1004c - -, therefor.

(Specification filed on Apr. 19, 2004, page 65, line 28)

In column 41, line 13, after "1008a-" delete "1 008f" and insert - - 1008f - -, therefor.

(Specification filed on Apr. 19, 2004, page 66, line 5)

In column 41, line 14, after "SEL1," delete "SEL2, SEL6" and insert - - SEL2, ... SEL6 - -, therefor.

(Specification filed on Apr. 19, 2004, page 66, line 5)

In column 41, line 15, after "1004a-" delete "1 004f" and insert - - 1004f - -, therefor.

(Specification filed on Apr. 19, 2004, page 66, line 7)

In column 42, line 26, delete "SELL" and insert - - SEL1 - -, therefor.

(Specification filed on Apr. 19, 2004, page 68, line 1)

In column 46, line 14, delete "SELL" and insert - - SEL1 - -, therefor.

(Specification filed on Apr. 19, 2004, page 74, line 1)

In column 57, line 50, in Claim 4, delete "round" and insert - - around - -, therefor.

(Amendment to claims filed on May 21, 2007, page 2, in Claim 4, line 4)

In column 60, line 12, in Claim 30, delete "claims" and insert - - claim - -, therefor.

(Amendment to claims filed on May 21, 2007, page 6, in Claim 42, line 1)

The requested corrections are attached on Form PTO 1050.

Respectfully Submitted

4/3/2008
DATE

Timothy R. Hoge
Name:
Registration No.: 42,919

Attorney/Agent of Record